



澳門特別行政區政府
Governo da Região Administrativa
Especial de Macau
衛生局
Serviços de Saúde

疾病預防控制中心
技術指引
CDC (Macao SS)
Technical Guidelines

No.: 046.CDC-NDIV.GL.2021
Ver.: 1.0
Created on: 2021.10.20
Revised on: --
Page: 1/3

不適合接種新型冠狀病毒疫苗醫生評估證明書的取得 - 常見問題集
**Acquisition of Medical Certificate of Unsuitability for COVID-19
Vaccination – Frequently Asked Questions**

Contents

1.	HOW CAN I GET A MEDICAL CERTIFICATE OF UNSUITABILITY FOR COVID-19 VACCINATION?	2
2.	WHO CAN GET A MEDICAL CERTIFICATE OF UNSUITABILITY FOR COVID-19 VACCINATION?	2
3.	CAN I RECEIVE COVID-19 VACCINATION IF I HAVE OTHER ALLERGIES?	3
4.	UNDER WHAT CIRCUMSTANCES WOULD A MEDICAL CERTIFICATE OF UNSUITABILITY FOR COVID-19 VACCINATION NOT GIVEN AFTER CLINICAL ASSESSMENT BY A DOCTOR?	3
5.	WHAT WILL HAPPEN IF I AM REFERRED TO THE “COVID-19 VACCINATION ASSESSMENT WORKING GROUP” FOR FURTHER ASSESSMENT?	3

 <p>澳門特別行政區政府 Governo da Região Administrativa Especial de Macau 衛生局 Serviços de Saúde</p>	<p>疾病預防控制中心 技術指引 CDC (Macao SS) Technical Guidelines</p>	<p>No.: 046.CDC-NDIV.GL.2021 Ver.: 1.0 Created on: 2021.10.20 Revised on: -- Page: 2/3</p>
<p>不適合接種新型冠狀病毒疫苗醫生評估證明書的取得 - 常見問題集 Acquisition of Medical Certificate of Unsuitability for COVID-19 Vaccination – Frequently Asked Questions</p>		

1. How can I get a medical certificate of unsuitability for COVID-19 vaccination?

Answer: You can get the certificate by the following ways:

- Receive clinical assessment directly from a doctor at the vaccination sites (including Conde de S. Januário General Hospital, various Health Centres or Health Stations of the Health Bureau, and other COVID-19 vaccination stations across the territory); if unsuitable for vaccination or delayed vaccination is recommended, you will be issued with a certificate of medical assessment accordingly.
- Receive medical assessment in a scheduled outpatient setting at Conde de S. Januário General Hospital or Health Centres, or by utilising the walk-in consultation service at Health Centres; persons assessed as eligible will be issued with the certificate as well.
- Only certificates acquired by the abovementioned methods will be recognised as a “medical certificate of unsuitability for COVID-19 vaccination”.

2. Who can get a medical certificate of unsuitability for COVID-19 vaccination?

Answer: Persons who are clinically assessed to be unsuitable for COVID-19 vaccination or for whom delayed vaccination is recommended can get a certificate of medical assessment from the doctor. Certificates indicating unsuitability for vaccination are mainly for persons who are unable to receive the vaccine due to a history of severe allergic reactions to the same type of vaccine (such as acute generalised urticaria, laryngeal edema, dyspnea, etc.), whereas certificates recommending postponement of vaccination have an expiration date after which re-assessment should be done. The duration for which vaccination should be postponed is set out on a case-by-case basis under professional judgement by the assessing doctor.

Persons without any conditions suggestive of unsuitability for vaccination will not be given a “medical certificate of unsuitability for COVID-19 vaccination” and are advised to get vaccinated.

 <p>澳門特別行政區政府 Governo da Região Administrativa Especial de Macau 衛生局 Serviços de Saúde</p>	<p>疾病預防控制中心 技術指引 CDC (Macao SS) Technical Guidelines</p>	<p>No.: 046.CDC-NDIV.GL.2021 Ver.: 1.0 Created on: 2021.10.20 Revised on: -- Page: 3/3</p>
<p>不適合接種新型冠狀病毒疫苗醫生評估證明書的取得 - 常見問題集 Acquisition of Medical Certificate of Unsuitability for COVID-19 Vaccination – Frequently Asked Questions</p>		

3. Can I receive COVID-19 vaccination if I have other allergies?

Answer: Mild skin reactions and allergy to other drugs are not contraindications to COVID-19 vaccination; inoculation can be given if suitability for vaccination has been confirmed by medical assessment.

4. Under what circumstances would a medical certificate of unsuitability for COVID-19 vaccination not given after clinical assessment by a doctor?

Answer: After clinical assessment by a doctor, the medical certificate would not be issued at the vaccination site in the following situations:

- I. Without conditions of unsuitability for COVID-19 vaccination; or
- II. Referral to the “COVID-19 Vaccination Assessment Working Group” for further assessment is required in order to confirm whether any conditions of unsuitability for COVID-19 vaccination is present.

5. What will happen if I am referred to the “COVID-19 Vaccination Assessment Working Group” for further assessment?

Answer: The COVID-19 Vaccination Assessment Working Group is a panel of specialist doctors who review the referral cases in the form of meetings and case discussions. The Working Group will meet with the patients if necessary, and generally will inform them of the final judgement within two weeks. Patients who are determined as requiring postponement of vaccination or unfit for vaccination will be issued with the relevant certificate by the Working Group.