

In order to prevent the novel coronavirus pneumonia, higher education institutions are advised to heighten vigilance and adopt the following measures:

### 1. Coordination and Management

- Pay attention to the epidemic information released by the MSAR Government and support various preventive measures; disseminate and update information related to disease prevention to students and staff in a timely manner;
- Everyone should wear a mask when working, doing activities or having classes in the venue;
- All collective activities or competitions should follow relevant anti-epidemic guidelines according to their nature;
- Practise individual physical exercises instead of group / pair exercises;
- Pay attention to the health condition of students / staff and take their temperature regularly. If anyone develops fever or respiratory symptoms, advise them to wear a mask and seek medical attention; allow them to suspend from school/work and stay at home for rest if recommended by doctors;
- If anyone presents with fever or respiratory symptoms, ask them whether they have visited any medium to high risk countries/ areas of COVID-19 within 21 days prior to the onset of illness, and whether they have had contact with a confirmed patient; if yes, call the Fire Services Bureau to transfer the patient to Conde de S. Januario General Hospital in an ambulance for further examination;
- Inform the Higher Education Bureau and the Centre for Disease Control and Prevention of the Health Bureau (Tel: 2870 0800; fax: 2553 3524) if you notice a large number of students / staff become sick or when there is a sudden increase of absentees.



## 預防新型冠狀病毒肺炎 - 給高等院校及學生的建議

## Prevent Novel Coronavirus Pneumonia – Advice to Higher Education Institutions and Students

### 2. Personal precautions

In order to prevent the novel coronavirus pneumonia, the Health Bureau urges all Macao residents to stay tuned to the epidemic information of the MSAR Government, support the preventive measures implemented by the authorities, and also to observe personal hygiene, home hygiene and environmental hygiene, in particular:

- Avoid travelling to medium to high risk countries/ areas of COVID-19;
- Do not gather / assemble;
- Maintain social distancing and wear a mask;
- Wash hands frequently with water and liquid soap, or rub hands with an alcohol-based handrub; do not touch the eyes, nose and mouth before performing hand hygiene;
- Cover nose and mouth with a tissue when sneezing and coughing, and then wash hands immediately; if no tissue is available, cover nose and mouth with a sleeve or the crook of an elbow, not the palms;
- After using the toilet, flush it with the lid closed, and wash hands thoroughly;
- Do not share towel with others;
- Regularly clean and disinfect frequently-touched surfaces in home or workplace;
- Wear gloves when handling articles or places soiled by secretions or excretions;
- Avoid staying in crowded places, especially for people with low immunity;
- Avoid close contact with patients with fever or respiratory symptoms;
- Avoid visiting patients in the hospital; put on a mask if it is necessary to enter the hospital area;
- Avoid contact with animals, visiting markets where animals are sold, or consuming undercooked animal products;



## 預防新型冠狀病毒肺炎 - 給高等院校及學生的建議


# Prevent Novel Coronavirus Pneumonia –

**Advice to Higher Education Institutions and Students** 

If developing fever or respiratory symptoms, wear a mask and seek medical attention right away.

#### **Environmental hygiene** 3.

- Regularly clean and disinfect frequently-touched surfaces in home or workplace, e.g. furniture surfaces, walls, floors, handrails, door knobs, lift buttons, computer keyboards, etc.;
- Ensure disposable paper towel and alcohol-based hand sanitizers are provided in public reception area;
- Ensure liquid soap, disposable paper towel or hand-dryers (but no reusable towel) are provided in public toilets;
- Make sure the drains and pipes are free of blockage or leakage; each drain pipe should be fitted with a trap, pour half a litre of water into each drain at least once a week so as to maintain the water column in the pipe to prevent the spread of microorganisms;
- Keep the toilets clean and well-ventilated, and increase the number of cleaning and disinfection according to sanitary conditions;
- All the space for students / staff should have windows open as often as possible to keep the environment clean and well-ventilated; for closed space, make sure the ventilation systems are functioning properly and are cleaned and maintained regularly;
- Floors, carpets, walls and other facilities that are soiled by secretions or excretions should be cleaned and disinfected immediately. Use absorbent materials to clean up contaminated surfaces preliminarily, and then disinfect the contaminated surfaces and surrounding areas with 1:10 diluted bleach. Leave for 30 minutes, then rinse 衛生局 疾病預防控制中心 傳染病防治暨疾病監測部 SS-CDC-NDIV



with water and wipe dry;

- Disposable items should never be reused, and should be properly wrapped and disposed of after use;
- Reusable items should be thoroughly cleaned and disinfected before they are provided to others.

\* Places with possible transmission of the novel coronavirus pneumonia: see the "Special Webpage Against Epidemics" for details (<u>https://www.ssm.gov.mo/PreventCOVID-19</u>).

Centre for Disease Control and Prevention Health Bureau of Macao Special Administrative Region Government